


Work Order ID 157815

Tuesday, March 07, 2017 10:35:02 AM

157815

Page 1

Item ID: D3265-5 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Rib
Start Date: 3/8/2017 Start Qty: 8.00 ***8*** Cust Item ID:
Required Date: 3/10/2017 Req'd Qty: 8.00 ***8*** Customer:
Reference: SCHEDULED
Approvals: Process Plan:  Date: MAR 07 2017 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3265	E								
100	Large Fab	0.00							
100									
Large Fab	Memo	0.00							
Large Fab	1- cut D3265-5 rib as per dwg 2- remove identification markings 3- deburr								
110	QC5- Inspect part completeness to step on W/O	0.00							
110									
QC	Memo	0.00							
Quality Control									
120	Identify as per dwg & Stock Location: <u>WA4</u>	0.00							
120									
Packaging	Memo	0.00							
Packaging	LOCATION: WA004								

8x DG 2017/03/078 MAR 07 2017 **DAS 24 9-89**8 MAR 07 2017 **DAS 24 9-89**

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

Tuesday, March 07, 2017 10:35:02 AM

Page 2

MAR 07 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																																																																																																					
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																																																																																																			
Description Work Order Deviation		Disposition																																																																																																																																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="text-align: left;">Root Cause</th> <th colspan="4" style="text-align: left;">FAULT CATEGORY</th> </tr> </thead> <tbody> <tr> <td>Environment ☐</td> <td>☐</td> <td>No Re-verification</td> <td>☐</td> <td>Pressure/Forced</td> <td>☐</td> <td>Temperature/Cure</td> <td>☐</td> <td>Power Loss/Surge</td> <td>☐</td> <td>Positioned Wrong</td> </tr> <tr> <td>Design ☐</td> <td>☐</td> <td>Operator</td> <td>☐</td> <td>Bending</td> <td>☐</td> <td>Set-up</td> <td>☐</td> <td>Folio/Program</td> <td>☐</td> <td>Outside Dimensions</td> </tr> <tr> <td>Doc/Data ☐</td> <td>☐</td> <td>Offset/Setup</td> <td>☐</td> <td>Centre Not Concentric</td> <td>☐</td> <td>BOM/Route</td> <td>☐</td> <td>Grain</td> <td>☐</td> <td>Over/Under tolerance</td> </tr> <tr> <td>Equip/Tooling ☐</td> <td>☐</td> <td>Supplier</td> <td>☐</td> <td>Cracks</td> <td>☐</td> <td>Broken/Damage/Defect</td> <td>☐</td> <td>Weld</td> <td>☐</td> <td>Part Incorrect</td> </tr> <tr> <td>Handling/Pre ☐</td> <td>☐</td> <td>Training</td> <td>☐</td> <td>Crimp/Kink/Ripple/Wave</td> <td>☐</td> <td>Inspection Incomplete/Unqualified</td> <td>☐</td> <td>Wrong Stock Pulled</td> <td>☐</td> <td>Part Lost/Missing</td> </tr> <tr> <td>Material ☐</td> <td>☐</td> <td>Use for Testing</td> <td>☐</td> <td>Cuffs</td> <td>☐</td> <td>Contamination</td> <td>☐</td> <td>Out of Sequence</td> <td>☐</td> <td>Part Moved</td> </tr> <tr> <td>Internal Transport ☐</td> <td>☐</td> <td>Poor Information</td> <td>☐</td> <td>Crushing</td> <td>☐</td> <td>Countersink</td> <td>☐</td> <td>Off-set</td> <td>☐</td> <td>Drawing</td> </tr> <tr> <td>Tribal Knowledge ☐</td> <td>☐</td> <td>Rushing</td> <td>☐</td> <td>Heat Treat</td> <td>☐</td> <td>Cut Too Short</td> <td>☐</td> <td>Mislabeled</td> <td>☐</td> <td>Finish</td> </tr> <tr> <td>LOA ☐</td> <td>☐</td> <td>Product Improvement</td> <td>☐</td> <td>Wave/Twist in Tube</td> <td>☐</td> <td>Instructions Incomplete/Unclear</td> <td>☐</td> <td>Fit/Function</td> <td>☐</td> <td>Misread</td> </tr> <tr> <td>Substation ☐</td> <td>☐</td> <td>Process Improvement</td> <td>☐</td> <td>Marks/Chatter</td> <td>☐</td> <td>Drill Holes</td> <td>☐</td> <td>Misaligned/off center</td> <td>☐</td> <td>Turning Sequence</td> </tr> <tr> <td>Past Expiry Date ☐</td> <td>☐</td> <td>Manufacturing Process</td> <td colspan="7" rowspan="2" style="text-align: center; vertical-align: middle;">OTHER :</td> </tr> <tr> <td>Misidentified ☐</td> <td>☐</td> <td>Past Due</td> </tr> </tbody> </table>						Root Cause			FAULT CATEGORY				Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	Past Expiry Date ☐	☐	Manufacturing Process	OTHER :							Misidentified ☐	☐	Past Due
Root Cause			FAULT CATEGORY																																																																																																																																				
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong																																																																																																																													
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions																																																																																																																													
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance																																																																																																																													
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect																																																																																																																													
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing																																																																																																																													
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved																																																																																																																													
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing																																																																																																																													
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish																																																																																																																													
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread																																																																																																																													
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence																																																																																																																													
Past Expiry Date ☐	☐	Manufacturing Process	OTHER :																																																																																																																																				
Misidentified ☐	☐	Past Due																																																																																																																																					

Picklist Print

Tuesday, March 07, 2017 10:35:07 AM

Page 1

Work Order ID: 157815

157815

Parent Item: D3265-5

D3265-5

Parent Item Name: Rib

Start Date: 3/8/2017

Required Date: 3/10/2017

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP REV:A 12.07.26 AS PER DWG REV.D DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304TS0.750W.065		Purchased	No			100	f	571.8049	2.2708	19.11579			

M304TS0 750W 065

304 SQ Tube .75x.75x.065W

SG 2017/03/07

Location

WA004

m133412

m136378

m136907

Loc Qty

571.804944

2.264944

93.54

476

Loc Code

B136907 → 20

DQA: _____ Date: _____






WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐				
Date :	Step #:	QTY Effective :			MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By	
					Lead hand / Supervisor Approval Verification	
					QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐						

QTY	PART NUMBER	DESCRIPTION
X	D3265-041	BASKET BASE ASSY
2	D2232-3	HINGE PLATE
1	D2235-1	RIB
2	D2581	MOUNTING BRACKET
1	D3265-1	RIB
1	D3265-043	RIB ASSY
2	D3265-5	RIB
4	D3442-5	SHIM
2	D3825-041	RIB ASSY
2	D3826-041	RIB/GUSSET ASSY
1	D3832-11	MESH (BASE, SM)
2	D3833-1	MESH, BASE END FACE




D3265-041 BASKET BASE ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT ASSEMBLY GLOSS WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) WELD PER DART QSI 004
- 9) SKIN INSIDE SURFACE OF BASKET WITH D3832-11, TACK WELD EACH END OF STRAND TO FRAME

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 157015
MAR 07 2017




E	CORRECTED 53.25 DIM SHIFTED AT LAST REV (ZNC3-3).	MB	12.07.26
D	REVISED PARTS LIST: QTY(2) D3826-041 REPLACE QTY(4) D2325 & QTY(2) D2235-1; QTY(1) D3265-043 REPLACES QTY(1) D3265-1; QTY(4) D3442-5 WAS QTY(2); REMOVE D3265-3 ADD D3265-7; D3825-041 WAS D3265-3; CREATED D3265-043; ADDED D3832-11 AND D3833-1. REASON: PART10-50.	MB	12.05.14
C	DRAWING UPDATED TO CURRENT STANDARDS. SHT 4 ADDED. RIB MATERIAL WAS 0.060 THICK. SHT 2 ZONE D5 25.63 DIMENSION WAS 27.63.	AJS	08.08.14
B	INCORPORATED A1. ADD SHIM UNDER HINGES. ADD HOLES FOR SPLIT LID BASKETS.	PH	05.08.08
A	NEW ISSUE	CP	04.02.02
REV.	DESCRIPTION	BY	DATE
DESIGN	DS		
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	12.07.26		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D3265
REV. E
SHEET 1 OF 3
TITLE BASKET BASE ASSEMBLY (350)
SCALE NTS

COPYRIGHT © 2004 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS THE PROPERTY OF DART AEROSPACE LTD. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



SECTION A-A B6-1
2 PL
(BOTH END RIBS)



SECTION B-B B5-1
2 PL
(BOTH CENTER RIBS)


RELEASED
2012-08-03

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) WELD PER DART QSI 004
- 9) TRIM EXPANDED METAL LOCALLY AS REQUIRED, TYP BOTH ENDS

DESIGN	DS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3265	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BASKET BASE ASSEMBLY (350)	NTS
DATE	12.07.26	COPYRIGHT © 2006 BY DART AEROSPACE LTD. THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION OF DART AEROSPACE LTD.	

QTY	PART NUMBER	DESCRIPTION
X	D3265-043	RIB ASSY
1	D3265-7	RIB
3	D3759-1	BUSHING




D3265-043 RIB ASSY




TYP SECTION


- NOTES:**
- 1) MATERIAL: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBING
PER ASTM A554/A269 MILL FINISH, 0.75 X 0.75 X 0.065 WALL
REF. DART SPEC M304TS0.750W.065
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A
 - 8) WELDING: PER DART QSI 004



D3265-1 RIB



D3265-7 RIB



D3265-5 RIB

RELEASED
2012-08-03

DESIGN	DS	DART AEROSPACE LTD
DRAWN		HAWKESBURY, ONTARIO, CANADA
CHECKED		DRAWING NO. REV. E
MFG. APPR.		D3265 SHEET 3 OF 3
APPROVED		TITLE SCALE
DE APPR.		BASKET BASE ASSEMBLY (350) NTS
DATE	12.07.26	